AQA

Please write clearly in block capitals.

Centre number | | | | | | Candidate number | | | | |

Surname _____

Forename(s) _____

Candidate signature _____

I declare this is my own work.

A-level
FURTHER MATHEMATICS

Paper 1

Friday 22 May 2020 Morning Time allowed: 2 hours

Materials
- You must have the AQA formulae and statistical tables booklet for A-level Mathematics and A-level Further Mathematics.
- You should have a scientific calculator that meets the requirements of the specification. (You may use a graphical calculator.)

Instructions
- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information
- The marks for questions are shown in brackets.
- The maximum mark for this paper is 100.

Advice
- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
TOTAL	

Do not write outside the box

Answer **all** questions in the spaces provided.

1 Which of the integrals below is **not** an improper integral?

Circle your answer.

[1 mark]

$\int_0^{\infty} e^{-x}\,dx$ $\int_0^{2} \frac{1}{1-x^2}\,dx$ $\int_0^{1} \sqrt{x}\,dx$ $\int_0^{1} \frac{1}{\sqrt{x}}\,dx$

2 Which one of the matrices below represents a rotation of 90° about the x-axis?

Circle your answer.

[1 mark]

$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$ $\begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \end{bmatrix}$ $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & -1 \\ 0 & 1 & 0 \end{bmatrix}$

Do not write outside the box

3 The quadratic equation $ax^2 + bx + c = 0$ $(a, b, c \in \mathbb{R})$ has real roots α and β.

One of the four statements below is incorrect.

Which statement is **incorrect**?

Tick (✓) **one** box.

[1 mark]

$c = 0 \Rightarrow \alpha = 0$ or $\beta = 0$ ☐

$c = a \Rightarrow \alpha$ is the reciprocal of β ☐

$b < 0$ and $c < 0 \Rightarrow \alpha > 0$ and $\beta > 0$ ☐

$b = 0 \Rightarrow \alpha = -\beta$ ☐

Turn over for the next question

Do not write outside the box

4 It is given that $1 - 3\mathrm{i}$ is one root of the quartic equation

$$z^4 - 2z^3 + pz^2 + rz + 80 = 0$$

where p and r are real numbers.

4 (a) Express $z^4 - 2z^3 + pz^2 + rz + 80$ as the product of two quadratic factors with real coefficients.

[4 marks]



Do not write outside the box

4 (b) Find the value of p and the value of r.

[2 marks]

Turn over for the next question

Do not write outside the box

5 H_1 is the locus of points such that the distance from the point (5, 0) is twice the distance from the line $x = 2$

5 (a) Show that the equation of H_1 can be written in the form

$$(x - 1)^2 - \frac{y^2}{q} = r$$

where q and r are integers.

[5 marks]

Do not write outside the box

5 (b) H_2 is the hyperbola

$$x^2 - y^2 = 4$$

Describe fully a sequence of two transformations which maps the graph of H_2 onto the graph of H_1

[4 marks]

Do not write outside the box

6 Let w be the root of the equation $z^7 = 1$ that has the smallest argument α in the interval $0 < \alpha < \pi$

6 (a) Prove that w^n is also a root of the equation $z^7 = 1$ for any integer n.


[1 mark]

6 (b) Prove that $1 + w + w^2 + w^3 + w^4 + w^5 + w^6 = 0$

[2 marks]

6 (c) Show the positions of w, w^2, w^3, w^4, w^5, and w^6 on the Argand diagram below.

[2 marks]



Do not write outside the box

6 (d) Prove that

$$\cos\frac{2\pi}{7}+\cos\frac{4\pi}{7}+\cos\frac{6\pi}{7}=-\frac{1}{2}$$

[4 marks]

Do not write outside the box

7 Three planes have equations

$$\begin{aligned}(4k+1)x - \quad 3y + (k-5)z &= 3\\ (k-1)x + (3-k)y + \quad 2z &= 1\\ 7x - \quad 3y + \quad 4z &= 2\end{aligned}$$

7 (a) The planes do **not** meet at a unique point.

Show that $k = 4.5$ is one possible value of k, and find the other possible value of k.

[3 marks]

Do not write outside the box

7 (b) For each value of k found in part **(a)**, identify the configuration of the given planes.

In each case fully justify your answer, stating whether or not the equations of the planes form a consistent system.

[4 marks]

Do not write outside the box

8 The three roots of the equation

$$4x^3 - 12x^2 - 13x + k = 0$$

where k is a constant, form an arithmetic sequence.

Find the roots of the equation.

[6 marks]

Do not write outside the box

Turn over for the next question

Do not write outside the box

9 The function f is defined by

$$\mathrm{f}(x) = \frac{x(x+3)}{x+4} \qquad (x \in \mathbb{R},\ x \neq -4)$$

9 (a) Find the interval $(a,\ b)$ in which $\mathrm{f}(x)$ does not take any values.

Fully justify your answer.

[5 marks]

Do not write outside the box

9 (b) Find the coordinates of the two stationary points of the graph of $y = \mathrm{f}(x)$

[2 marks]

9 (c) Show that the graph of $y = \mathrm{f}(x)$ has an oblique asymptote and find its equation.


[2 marks]

Question 9 continues on the next page

Do not write outside the box

9 (d) Sketch the graph of $y = \mathrm{f}(x)$ on the axes below.

[4 marks]



Do not write outside the box

Turn over for the next question

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

10 (a) Find the general solution of the differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} + \frac{2y}{x} = \frac{x+3}{x(x-1)(x^2+3)} \qquad (x > 1)$$

[8 marks]

Do not write outside the box

10 (b) Find the particular solution for which $y = 0$ when $x = 3$

Give your answer in the form $y = \mathrm{f}(x)$

[2 marks]

Do not write outside the box

11 The lines l_1, l_2 and l_3 are defined as follows.

$$l_1 : \left(\mathbf{r} - \begin{bmatrix} 1 \\ 5 \\ -1 \end{bmatrix} \right) \times \begin{bmatrix} -2 \\ 1 \\ -3 \end{bmatrix} = \mathbf{0}$$

$$l_2 : \left(\mathbf{r} - \begin{bmatrix} -3 \\ 2 \\ 7 \end{bmatrix} \right) \times \begin{bmatrix} 2 \\ -1 \\ 3 \end{bmatrix} = \mathbf{0}$$

$$l_3 : \left(\mathbf{r} - \begin{bmatrix} -5 \\ 12 \\ -4 \end{bmatrix} \right) \times \begin{bmatrix} 4 \\ 0 \\ 9 \end{bmatrix} = \mathbf{0}$$

11 (a) (i) Explain how you know that two of the lines are parallel.

[1 mark]

Do not write outside the box

11 (a) (ii) Show that the perpendicular distance between these two parallel lines is 7.95 units, correct to three significant figures.

[5 marks]

Do not write outside the box

11 (b) Show that the lines l_1 and l_3 meet, and find the coordinates of their point of intersection.

[5 marks]

Do not write outside the box

Turn over for the next question

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

12 (a) Use the definition of the cosh function to prove that

$$\cosh^{-1}\left(\frac{x}{a}\right) = \ln\left(\frac{x + \sqrt{x^2 - a^2}}{a}\right) \qquad \text{for } a > 0$$

[6 marks]

Do not write outside the box

12 (b) The formulae booklet gives the integral of $\frac{1}{\sqrt{x^2 - a^2}}$ as

$$\cosh^{-1}\left(\frac{x}{a}\right) \quad \text{or} \quad \ln\left(x + \sqrt{x^2 - a^2}\right) + c$$

Ronald says that this contradicts the result given in part **(a)**.

Explain why Ronald is wrong.

[2 marks]

Do not write outside the box

13 Two light elastic strings each have one end attached to a particle B of mass $3c$ kg, which rests on a smooth horizontal table.

The other ends of the strings are attached to the fixed points A and C, which are 8 metres apart.

ABC is a horizontal line.



String AB has a natural length of 4 metres and a stiffness of $5c$ newtons per metre.

String BC has a natural length of 1 metre and a stiffness of c newtons per metre.

The particle is pulled a distance of $\frac{1}{3}$ metre from its equilibrium position towards A, and released from rest.

13 (a) Show that the particle moves with simple harmonic motion.

[8 marks]

Do not write outside the box

13 (b) Find the speed of the particle when it is at a point P, a distance $\frac{1}{4}$ metre from the equilibrium position. Give your answer to two significant figures.

[4 marks]

Do not write outside the box

14 (a) Given that

$$\sinh(A + B) = \sinh A \cosh B + \cosh A \sinh B$$

express $\sinh(m + 1)x$ and $\sinh(m - 1)x$ in terms of $\sinh mx$, $\cosh mx$, $\sinh x$ and $\cosh x$

[1 mark]

14 (b) Hence find the sum of the series

$$C_n = \cosh x + \cosh 2x + \cdots + \cosh nx$$

in terms of $\sinh x$, $\sinh nx$ and $\sinh(n + 1)x$

[5 marks]

Do not write outside the box

END OF QUESTIONS

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.